

7/20/2021

**NOTICE OF DENIAL**

David McCall  
535 Arden Park Boulevard  
Detroit, MI 48202

**RE: Application Number 21-7358; 535 Arden Park Boulevard, Arden Park – East Boston Historic District**

Dear Mr. McCall,

At the regularly scheduled meeting held virtually on July 14, 2021, the Detroit Historic District Commission (“Commission”) reviewed the above-referenced application for building permit. Pursuant to Section 21-2-80 of the 2019 Detroit City Code, the Commission hereby issues a **Notice of Denial** which is effective as of July 20, 2021. The Commission finds that the below described work *does not* qualify for a Certificate of Appropriateness.

The replacement of windows and removal of metal railings at the front porch, as shown in the attached application, does not meet the defined elements of design for the historic district nor the Secretary of the Interior’s Standards for Rehabilitation, especially 2) *The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided;* 5) *Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a property shall be preserved;* 6) *Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial evidence;* 9) *New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.*

You may file a new application for consideration if the application is corrected, if new information is obtained regarding the application, or if the proposed scope of work changes. Please be advised that a permit applicant that is aggrieved by a decision of the Detroit Historic District Commission concerning a permit application may file an appeal with the State Historic Preservation Review Board. Within sixty (60) days of your receipt of this notice, an appeal may be filed with:

Jon Stuckey  
Michigan Department of Attorney General  
2<sup>nd</sup> Floor G. Mennen Williams Building  
525 West Ottawa Street  
P.O. Box 30754  
Lansing, MI 48909  
P: 517-335-0665 F: 517-335-3088  
Email: stuckeyj@michigan.gov

Once this administrative right of appeal has been exhausted, a permit applicant may file an appeal of the decision of the State Historic Preservation Review Board with the circuit court. If you have any questions regarding the foregoing, please contact Pamela Parrish, Counsel for the Commission at (313) 686-6005.

For the Commission:



Ann Phillips  
Staff  
Detroit Historic District Commission

7/20/2021

**CERTIFICATE OF APPROPRIATENESS**

David McCall  
535 Arden Park Boulevard  
Detroit, MI 48202

**RE: Application Number 21-7358; 535 Arden Park Boulevard, Arden Park – East Boston Historic District**

Dear Mr. McCall,


At the regularly scheduled meeting held virtually on July 14, 2021, the Detroit Historic District Commission (“Commission”) reviewed the above-referenced application for building permit. Pursuant to Section 5(10) of the Michigan Local Historic District Act, as amended, being MCL 399.205, MSA 5-3407(5)(10) and Section 21-2-73 of the 2019 Detroit City Code; the Commission has reviewed the above-referenced application for building permit and hereby issues a Certificate of Appropriateness, which is effective as of July 20, 2021.

The following proposed work meets the defined elements of design for the historic district and the Secretary of the Interior’s Standards for Rehabilitation and guidelines for rehabilitating historic buildings (36 CFR Part 67).

- Remove existing painted wood panel and wood trim and install new weather barrier, re-install painted wood paneling and wood trim at the rear bay of the rear façade
- Remove metal railing at second floor balcony at rear facade
- Replace front storm door

Please retain this COA for your files. You should now proceed to obtain a building permit from the City of Detroit Buildings, Safety, Engineering and Environmental Department. It is important to note that approval by the Detroit Historic District Commission does not waive the applicant's responsibility to comply with any other applicable ordinances or statutes.

For the Commission:



Ann Phillips

Staff

Detroit Historic District Commission

THIS IS A 3-PAGE FORM - ALL INFORMATION IS REQUIRED FOR PROJECT REVIEW

# HISTORIC DISTRICT COMMISSION PROJECT REVIEW REQUEST

City of Detroit - Planning & Development Department  
2 Woodward Avenue, Suite 808  
Detroit, Michigan 48226

DATE: \_\_\_\_\_

## PROPERTY INFORMATION

ADDRESS(ES): \_\_\_\_\_ AKA: \_\_\_\_\_

PARCEL ID: \_\_\_\_\_ HISTORIC DISTRICT: \_\_\_\_\_

SCOPE OF WORK: (Check ALL that apply)

<input type="checkbox"/> Windows/ Doors	<input type="checkbox"/> Walls/ Siding	<input type="checkbox"/> Painting	<input type="checkbox"/> Roof/Gutters/ Chimney	<input type="checkbox"/> Porch/Deck/ Balcony	<input type="checkbox"/> Addition
<input type="checkbox"/> Demolition	<input type="checkbox"/> Signage	<input type="checkbox"/> New Building	<input type="checkbox"/> Major Alteration (3+ scope items)	<input type="checkbox"/> Site Improvements (landscape, trees, fences, patios, etc.)	

BRIEF PROJECT DESCRIPTION: \_\_\_\_\_

## APPLICANT IDENTIFICATION

Property Owner/  
Homeowner

Contractor

Tenant or  
Business Occupant

Architect/Engineer/  
Consultant

NAME: \_\_\_\_\_ COMPANY NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_ CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

PHONE: \_\_\_\_\_ MOBILE: \_\_\_\_\_ EMAIL: \_\_\_\_\_

## PROJECT REVIEW REQUEST CHECKLIST

Please attach the following documentation to your request:

\*PLEASE KEEP FILE SIZE OF ENTIRE SUBMISSION UNDER 30MB\*

Completed Building Permit Application (highlighted portions only)

ePLANS Permit Number (only applicable if you've already applied for permits through ePLANS)

Photographs of ALL sides of existing building or site

Detailed photographs of location of proposed work (photographs to show existing condition(s), design, color, & material)

Description of existing conditions (including materials and design)

Description of project (if replacing any existing material(s), include an explanation as to why replacement--rather than repair--of existing and/or construction of new is required)

Detailed scope of work (formatted as bulleted list)

Brochure/cut sheets for proposed replacement material(s) and/or product(s), as applicable

### NOTE:

Based on the scope of work, additional documentation may be required.

See [www.detroitmi.gov/hdc](http://www.detroitmi.gov/hdc) for scope-specific requirements.

Upon receipt of this documentation, staff will review and inform you of the next steps toward obtaining your building permit from the Buildings, Safety Engineering and Environmental Department (BSEtED) to perform the work.

SUBMIT COMPLETED REQUESTS TO: **HDC@DETROITMI.GOV**

# P2 - BUILDING PERMIT APPLICATION

Date: \_\_\_\_\_

## PROPERTY INFORMATION

Address: \_\_\_\_\_ Floor: \_\_\_\_\_ Suite#: \_\_\_\_\_ Stories: \_\_\_\_\_

AKA: \_\_\_\_\_ Lot(s): \_\_\_\_\_ Subdivision: \_\_\_\_\_

Parcel ID#(s): \_\_\_\_\_ Total Acres: \_\_\_\_\_ Lot Width: \_\_\_\_\_ Lot Depth: \_\_\_\_\_

Current Legal Use of Property: \_\_\_\_\_ Proposed Use: \_\_\_\_\_

Are there any existing buildings or structures on this parcel?  Yes  No

## PROJECT INFORMATION

**Permit Type:**  New  Alteration  Addition  Demolition  Correct Violations

Foundation Only  Change of Use  Temporary Use  Other: \_\_\_\_\_

Revision to Original Permit #: \_\_\_\_\_ (Original permit has been issued and is active)

**Description of Work** (Describe in detail proposed work and use of property, attach work list)

MBC use change  No MBC use change

**Included Improvements** (Check all applicable; these trade areas require separate permit applications)

HVAC/Mechanical  Electrical  Plumbing  Fire Sprinkler System  Fire Alarm

### Structure Type

New Building  Existing Structure  Tenant Space  Garage/Accessory Building

Other: \_\_\_\_\_ Size of Structure to be Demolished (LxWxH) \_\_\_\_\_ cubic ft.

Construction involves changes to the floor plan?  Yes  No

(e.g. interior demolition or construction to new walls)

Use Group: \_\_\_\_\_ Type of Construction (per current MI Bldg Code Table 601) \_\_\_\_\_

**Estimated Cost of Construction** \$ \_\_\_\_\_ By Contractor \$ \_\_\_\_\_ By Department

### Structure Use

Residential-Number of Units: \_\_\_\_\_  Office-Gross Floor Area \_\_\_\_\_  Industrial-Gross Floor Area \_\_\_\_\_

Commercial-Gross Floor Area: \_\_\_\_\_  Institutional-Gross Floor Area \_\_\_\_\_  Other-Gross Floor Area \_\_\_\_\_

Proposed No. of Employees: \_\_\_\_\_ List materials to be stored in the building: \_\_\_\_\_

**PLOT PLAN SHALL BE submitted on separate sheets and shall show all easements and measurements (must be correct and in detail). SHOW ALL streets abutting lot, indicate front of lot, show all buildings, existing and proposed distances to lot lines.** (Building Permit Application Continues on Next Page)

### For Building Department Use Only

Intake By: \_\_\_\_\_ Date: \_\_\_\_\_ Fees Due: \_\_\_\_\_ DngBld?  No

Permit Description: \_\_\_\_\_

Permit #: \_\_\_\_\_ Current Legal Land Use: \_\_\_\_\_ Proposed Use: \_\_\_\_\_

Permit#: \_\_\_\_\_ Date Permit Issued: \_\_\_\_\_ Permit Cost: \$ \_\_\_\_\_

Zoning District: \_\_\_\_\_ Zoning Grant(s): \_\_\_\_\_

Lots Combined?  Yes  No (attach zoning clearance)

**Revised Cost** (revised permit applications only) Old \$ \_\_\_\_\_ New \$ \_\_\_\_\_


Structural: \_\_\_\_\_ Date: \_\_\_\_\_ Notes: \_\_\_\_\_

Zoning: \_\_\_\_\_ Date: \_\_\_\_\_ Notes: \_\_\_\_\_

Other: \_\_\_\_\_ Date: \_\_\_\_\_ Notes: \_\_\_\_\_



# HISTORIC DISTRICT COMMISSION REVIEW & PERMIT PROCESS



\* THE COMMISSION MEETS REGULARY AT LEAST ONCE PER MONTH, TYPICALLY ON THE SECOND WEDNESDAY OF THE MONTH.  
(SEE WEBSITE FOR MEETING SCHEDULE/AGENDAS)

FIND OUT MORE AT: [www.detroitmi.gov/hdc](http://www.detroitmi.gov/hdc)

To Whom it May Concern,

My name is David McCall and I have been the homeowner of 535 Arden Park since December, 2016. At the time of purchase, the home was basically imploded on the inside. There were holes in the floors, walls, windows, ceilings, etc. My partner, Wendy Targus and I have since poured our hearts and souls into bringing this once beautiful home back to life. We have been attempting to rehabilitate the home back to life with all our heart and soul. We obtained a construction loan, and have been using Apple Renovation Services, LLC based in Westland as our contractor. Over the last 6 months, we discovered Apple has embezzled some of our loan money, and are shutting the business down. We are currently in the process of attempting to find another contractor to use for the construction loan and moving forward with legal action against them. We also just recently found out that Apple did not receive a permit from the Historical District Commission for the windows, although we were led to believe they had. Apple installed the 39 windows months ago.

So today, I write to you and submit my application for a permit for replacement of all of the windows in the home. Prior to the windows being replaced, we inquired about restoring the windows with H & R Window Repair Company, in which they informed us that the windows were not feasible to repair. I have attached the signed document of inspection from them. The condition of the windows prior to replacement was terrible. There were no less than 8 windows already replaced with vinyl windows, while many of the original windows were broken, had sashes replaced, and the jambs were rotten, broken and leaking. The original windows were wood, double hung with lead inserts. We had a Pella window representative come in and custom measure and design windows that replicated the original windows to the best of Pellas abilities. I have attached the spec sheet on the windows, which are all wooden, double hung, with grills to match the original lead inserts and a "Putty" color to match the color the original were painted. I have attached as many pictures of the original existing windows as I could find.

I have personally met with Building Inspector Larson who will be a resource moving forward in these matters. I submit this application with the hope that the Commission will understand and empathize with my unfortunate position. I am more than willing to work with the Commission in any way possible to ensure that we are within their desired parameters and the home fits the standard set by the HDC. I look forward to your response and working together to restore a historic home back to glory and help beautify Detroit.

Thank you,

David McCall



# Installation Proposal – Windows

Date: 11-14-19

Store #	1859	Sales Specialist	Steve McQuire
Customer Name	Dave McCall	License #	2105188787
2nd Contact Name		Home Phone	734-377-6528
Job Site Address	535 Arden Park	Work/Cell Phone	
City, State and Zip	Detroit MI 48202	Customer Email	

<b>Preparation:</b> <input checked="" type="checkbox"/> Pre-installation inspection <input checked="" type="checkbox"/> Provide appropriate protection to home during installation <input checked="" type="checkbox"/> Obtain and post any necessary permits <input checked="" type="checkbox"/> Dedicated project support staff will be in contact with you every step of the way	<b>Additional Considerations:</b> <input type="checkbox"/> Install new interior casing <input type="checkbox"/> Install new exterior trim <input type="checkbox"/> Install new exterior wrap (trim coil) <input type="checkbox"/> Custom work:
<b>Installation:</b> <input type="checkbox"/> Remove and haul away existing windows <input checked="" type="checkbox"/> Check existing windows for leaks and evidence of pest infestation <input checked="" type="checkbox"/> Install new windows and window accessories, including required caulk, stops, and fasteners	<b>Clean-up/Final Inspection:</b> <input checked="" type="checkbox"/> Complete final cleanup and haul away all job related debris <input checked="" type="checkbox"/> Test product and perform complete inspection with customer

<b>Notes &amp; Product Description</b>	
Remove existing window (save for customer) Replace with Pella LifeStyles Aluminum Wood Windows Double Hung & Picture windows EXT: color putty INT: unfinished wood LOWE - Arden Park	
Price After All Discounts <b>Installed Price</b>	
<b>Total Investment</b>	47954.00

All installation services are guaranteed by Lowe's labor warranty. Additional charges may apply for permit fees. Professional installation available through independent contractors licensed and registered where applicable. License numbers and certifications held by or on behalf of Lowe's Home Centers, LLC and/or Lowe's Home Centers, Inc.: AL #8187; AK #39289; AR #0037290514; AZ #ROC291645; CA #991832, Bond #106055877; CT #HIC0639387, #MCO 0903044; DE #1993102010; FL #CCC1326824, #CGC1508417, #CRC1327732, #FRO4517; GA #RBCO005306; HI #C-33489; IL #104014837; KS-Arkansas City #R-2010-0036, Wichita #5495, Johnson County #2012-6366; KY-Lexington #11562; IA #C110383; ID #RCE-38637; IN-Hammond #017105-02; LA-#LMP2481, CBC#16533, #554408; MA #148688, #35194; MD #91680-22; MI #2102144445; MN #BC629859; MS #R17568; MT #161006; NC #70220; ND #30316; NE #23319; NM #382385; NY-New York City #1291730, #1291733, #1375178, #1351065, Nassau #H1777890000, #H1777890100, #H1777890200, Suffolk #43906-H, #48295-ME, #44066-MP, #41444-HF, Buffalo #556853, Putnam #PC2742-A, Tonawanda #CN0391, Rockland #H-11092-B6-00-00, Westchester #WC-23319-H10; NV#0079079; OH-Columbus #G5872, #HIC4565, Lancaster #500596, Warren #4266; OK #48191, 80000341, 002337; OR #202237; PA-Sunbury #751, Johnstown #0467; RI #20575; SC #G116664G118696; TN #64743, #3070; TX #TACL824674E, #EC-29349; UT #9002087-5501; VA #2701036596A; WA #LOWESH863DH; WV #WV014656; and WI #1133309. License number(s) and certifications may be subject to change in accordance with local or state government processes. For the most current listing of license numbers and certifications held by or on behalf of Lowe's Home Centers, LLC and related entities, please visit <http://www.lowes.com/licensesnumbers>.

IMPORTANT: This is an estimate only. This estimate is subject to change and does not bind you or Lowe's. This estimate is not a contract nor will it modify any future contract you may sign with Lowe's for the installation services. You may accept this proposal only by signing the appropriate Exterior Solutions Installed Sales Contract with Lowe's and making payment according to the terms and conditions therein. (Estimate good for 30 days). Installation fees will be and additional charges may be based on total product required to fulfill order (including waste), which exceeds actual area square footage. If you would like to discuss the measurements or would like a copy of this document, please contact the Lowe's Store Associate. Please review your contract carefully for all charges prior to signing.

[Back to Quote](#)



LOWE'S HOME CENTERS, LLC #1859  
 23111 OUTER DRIVE  
 ALLEN PARK, MI 48101-3100  
 USA  
 (313) 633-2961



Project #: 601456972 Description: lifestyles  
 Customer Name: DAVE MCCALL  
 Customer Phone: (734) 377-6528  
 Customer Address: 535 ARDEN PARK  
 DETROIT, MI 48202  
 USA

Line Item	Product Code	Unit Price	Quantity	Total Price
Frame Size	Description			
0001 Size = 66-in W x 68-in H	<b>Manufacturer:</b> Pella (R) Lifestyle Series PSE Package: No Package Division: Millwork Product: Windows Type: Double Hungs Manufacturer: Pella (R) Lifestyle Series PSE Home Comfort Quote Unit Type: Configure Unit Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Zone: Northern Hinged Glass Panel Option: Without Hinged Glass Panel Product Family: Full Frame Pella Products Room Location: Living Room Configuration: 2 Wide Actual Frame Width: 66-in Actual Frame Height: 68-in Fits Opening Width: 66 3/4-in Fits Opening Height: 68 3/4-in Operation / Venting: Double Hung Venting Height: Equal Unit Type: Complete Unit Exterior Material Type: Clad Wood Type: Pine Actual Base Frame Depth: 5-in Actual Base Wall Depth: 3 11/16-in Exterior Paint Grade: Standard EnduraClad			
		<b>\$1,510.04</b>	1	<b>\$1,510.04</b>


Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening  
Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 3  
Upper Number High: 3  
Lower Number Wide: 3  
Lower Number High: 3  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould  
Actual Sill Exterior Trim: 1/2-in Sill Nose  
Attachment Method Application: Factory Applied  
Exterior Overall Width Including Trim: 68.360000  
Exterior Overall Height Including Trim: 70.360000  
Actual Jamb Extended Wall Depth: 3 11/16-in  
Wall Depth Application: Factory Applied  
Is This A Remake?: No  
Lead Time: 24 Days  
Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella  
(R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0002

Size = 21-in W x 68-in H

**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Living Room  
 Configuration: 1 Wide  
 Actual Frame Width: 21-in  
 Actual Frame Height: 68-in  
 Fits Opening Width: 21 3/4-in  
 Fits Opening Height: 68 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate  
 Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles

**\$677.88****2****\$1,355.76**


Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 2  
 Upper Number High: 3  
 Lower Number Wide: 2  
 Lower Number High: 3  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 23.360000  
 Exterior Overall Height Including Trim: 70.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0003

Size = 37-in W x 59-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Living Room  
 Configuration: 1 Wide  
 Actual Frame Width: 37-in  
 Actual Frame Height: 59-in  
 Fits Opening Width: 37 3/4-in  
 Fits Opening Height: 59 3/4-in

\$637.17

4

\$2,548.68

Operation / Venting: Double Hung  
Venting Height: Equal  
Unit Type: Complete Unit  
Exterior Material Type: Clad  
Wood Type: Pine  
Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 4  
Upper Number High: 2  
Lower Number Wide: 4  
Lower Number High: 2  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould  
Actual Sill Exterior Trim: 1/2-in Sill Nose  
Attachment Method Application: Factory Applied  
Exterior Overall Width Including Trim: 39.360000  
Exterior Overall Height Including Trim: 61.360000  
Actual Jamb Extended Wall Depth: 3 11/16-in  
Wall Depth Application: Factory Applied


Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0004

Size = 31 1/2-in W x 59-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: top stairs and nook  
 Configuration: 1 Wide  
 Actual Frame Width: 31 1/2-in  
 Actual Frame Height: 59-in  
 Fits Opening Width: 32 1/4-in  
 Fits Opening Height: 59 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening Hardware

**\$564.60**

3

**\$1,693.80**


Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate  
 Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 3  
 Upper Number High: 2  
 Lower Number Wide: 3  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 33.860000  
 Exterior Overall Height Including Trim: 61.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0006

Size = 59-in W x 74-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern

\$1,536.17

1

\$1,536.17

Hinged Glass Panel Option: Without Hinged Glass Panel  
Product Family: Full Frame Pella Products  
Room Location: Kitchen  
Configuration: 2 Wide  
Actual Frame Width: 59-in  
Actual Frame Height: 74-in  
Fits Opening Width: 59 3/4-in  
Fits Opening Height: 74 3/4-in  
Operation / Venting: Double Hung  
Venting Height: Equal  
Unit Type: Complete Unit  
Exterior Material Type: Clad  
Wood Type: Pine  
Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 3  
Upper Number High: 3  
Lower Number Wide: 3  
Lower Number High: 3  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould


Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 61.360000  
 Exterior Overall Height Including Trim: 76.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0007

Size = 71-in W x 50-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Kitchen  
 Configuration: 2 Wide  
 Actual Frame Width: 71-in  
 Actual Frame Height: 50-in  
 Fits Opening Width: 71 3/4-in  
 Fits Opening Height: 50 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E

**\$1,307.09**

I

**\$1,307.09**

Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate  
 Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 3  
 Upper Number High: 2  
 Lower Number Wide: 3  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 73.360000  
 Exterior Overall Height Including Trim: 52.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0008

Size = 63-in W x 59-in H

**Manufacturer:** Pella (R) Lifestyle Series PSE


Package: No Package

Division: Millwork

**\$1,073.73**

1

**\$1,073.73**



Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Kitchen  
 Configuration: 2 Wide  
 Actual Frame Width: 63-in  
 Actual Frame Height: 59-in  
 Fits Opening Width: 63 3/4-in  
 Fits Opening Height: 59 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate  
 Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical


Lower Grille Division Type: Typical  
 Upper Number Wide: 3  
 Upper Number High: 2  
 Lower Number Wide: 3  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 65.360000  
 Exterior Overall Height Including Trim: 61.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0009

Size = 37-in W x 59-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: powder room  
 Configuration: 1 Wide  
 Actual Frame Width: 37-in  
 Actual Frame Height: 59-in  
 Fits Opening Width: 37 3/4-in  
 Fits Opening Height: 59 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine

\$637.17

1

\$637.17


Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 4  
Upper Number High: 2  
Lower Number Wide: 4  
Lower Number High: 2  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould  
Actual Sill Exterior Trim: 1/2-in Sill Nose  
Attachment Method Application: Factory Applied  
Exterior Overall Width Including Trim: 39.360000  
Exterior Overall Height Including Trim: 61.360000  
Actual Jamb Extended Wall Depth: 3 11/16-in  
Wall Depth Application: Factory Applied  
Is This A Remake?: No  
Lead Time: 24 Days  
Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0010

Size = 59-in W x 59-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: nook  
 Configuration: 2 Wide  
 Actual Frame Width: 59-in  
 Actual Frame Height: 59-in  
 Fits Opening Width: 59 3/4-in  
 Fits Opening Height: 59 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate  
 Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty

**\$1,049.64**

2

**\$2,099.28**

Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 3  
 Upper Number High: 2  
 Lower Number Wide: 3  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 61.360000  
 Exterior Overall Height Including Trim: 61.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0011  
 Size = 47-in W x 29-in H

**Manufacturer:** Pella (R) Lifestyle Series PSE


Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Picture  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Room Location: stairs  
 Shape: Rectangle  
 Configuration: 1 Wide  
 Actual Frame Width: 47-in  
 Actual Frame Height: 29-in

\$535.24

\$535.24

Fits Opening Width: 47 3/4-in  
 Fits Opening Height: 29 3/4-in  
 Operation / Venting: Fixed Frame  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Grille Division Type: Typical  
 Number Wide: 4  
 Number High: 3  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 49.360000  
 Exterior Overall Height Including Trim: 31.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0012

Size = 41 1/2-in W x 59-in  
H


**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
Division: Millwork

\$666.56

1

\$666.56



Product: Windows  
Type: Double Hungs  
Manufacturer: Pella (R) Lifestyle Series PSE  
Home Comfort Quote Unit Type: Configure Unit  
Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
Energy Star (R) Zone: Northern  
Hinged Glass Panel Option: Without Hinged Glass Panel  
Product Family: Full Frame Pella Products  
Room Location: stairs  
Configuration: 1 Wide  
Actual Frame Width: 41 1/2-in  
Actual Frame Height: 59-in  
Fits Opening Width: 42 1/4-in  
Fits Opening Height: 59 3/4-in  
Operation / Venting: Double Hung  
Venting Height: Equal  
Unit Type: Complete Unit  
Exterior Material Type: Clad  
Wood Type: Pine  
Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical


Lower Grille Division Type: Typical  
 Upper Number Wide: 4  
 Upper Number High: 2  
 Lower Number Wide: 4  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 43.860000  
 Exterior Overall Height Including Trim: 61.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0013

Size = 33-in W x 55-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Master Bedroom  
 Configuration: 1 Wide  
 Actual Frame Width: 33-in  
 Actual Frame Height: 55-in  
 Fits Opening Width: 33 3/4-in  
 Fits Opening Height: 55 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine

**\$671.87**

**3 \$2,015.61**


Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 3  
Upper Number High: 2  
Lower Number Wide: 3  
Lower Number High: 2  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould  
Actual Sill Exterior Trim: 1/2-in Sill Nose  
Attachment Method Application: Factory Applied  
Exterior Overall Width Including Trim: 35.360000  
Exterior Overall Height Including Trim: 57.360000  
Actual Jamb Extended Wall Depth: 3 11/16-in  
Wall Depth Application: Factory Applied  
Is This A Remake?: No  
Lead Time: 24 Days  
Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0014

Size = 66-in W x 55-in H

**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package

Division: Millwork

Product: Windows

Type: Double Hungs

Manufacturer: Pella (R) Lifestyle Series PSE

Home Comfort Quote Unit Type: Configure Unit

Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).

Energy Star (R) Zone: Northern

Hinged Glass Panel Option: Without Hinged Glass Panel

Product Family: Full Frame Pella Products

Room Location: Master Bedroom

Configuration: 2 Wide

Actual Frame Width: 66-in

Actual Frame Height: 55-in

Fits Opening Width: 66 3/4-in

Fits Opening Height: 55 3/4-in

Operation / Venting: Double Hung

Venting Height: Equal

Unit Type: Complete Unit

Exterior Material Type: Clad

Wood Type: Pine

Actual Base Frame Depth: 5-in

Actual Base Wall Depth: 3 11/16-in

Exterior Paint Grade: Standard EnduraClad

Exterior Color: Putty

Interior Finish: Unfinished

Glazing Type: Insulated

Glass Strength: Annealed

Insulated Glass Options: Low-E

Low-E Glass Style: NaturalSun Low-E Insulating Glass

Gas Filled: Argon

High Altitude: Non High Altitude

Glazing Lite Thickness: Standard Per Design

Sash Lock: Cam-Action Lock

Hardware Finish: Champagne

Limited Opening Hardware: No Limited Opening Hardware

Sash Lift: Order Sash Lift

Sash Lift Shipping Options: Shipped Separate

Sensor Option: No Integrated Sensor

Screen Option: Full Screen

Screen Color: Putty

**\$1,293.98**

2

**\$2,587.96**


Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 3  
 Upper Number High: 2  
 Lower Number Wide: 3  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 68.360000  
 Exterior Overall Height Including Trim: 57.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0015

Size = 88 1/2-in W x 61 1/2-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Bedroom 1  
 Configuration: 3 Wide  
 Actual Frame Width: 88 1/2-in

**\$1,591.64**

**\$1,591.64**

Actual Frame Height: 61 1/2-in  
Fits Opening Width: 89 1/4-in  
Fits Opening Height: 62 1/4-in  
Operation / Venting: Double Hung  
Venting Height: Equal  
Unit Type: Complete Unit  
Exterior Material Type: Clad  
Wood Type: Pine  
Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 3  
Upper Number High: 2  
Lower Number Wide: 3  
Lower Number High: 2  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould  
Actual Sill Exterior Trim: 1/2-in Sill Nose  
Attachment Method Application: Factory Applied  
Exterior Overall Width Including Trim: 90.860000


Exterior Overall Height Including Trim: 63.860000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0016

Size = 34-in W x 52-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Bedroom 1  
 Configuration: 1 Wide  
 Actual Frame Width: 34-in  
 Actual Frame Height: 52-in  
 Fits Opening Width: 34 3/4-in  
 Fits Opening Height: 52 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock

**\$675.57**

1

**\$675.57**

Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening  
 Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate  
 Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 3  
 Upper Number High: 2  
 Lower Number Wide: 3  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 36.360000  
 Exterior Overall Height Including Trim: 54.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0017

Size = 79-in W x 55-in H


**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would

\$1,460.36

1

\$1,460.36



like to view only the units that are qualified for Energy  
 Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Bedroom 2  
 Configuration: 2 Wide  
 Actual Frame Width: 79-in  
 Actual Frame Height: 55-in  
 Fits Opening Width: 79 3/4-in  
 Fits Opening Height: 55 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening  
 Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate  
 Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 4  
 Upper Number High: 2  
 Lower Number Wide: 4  
 Lower Number High: 2


Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 81.360000  
 Exterior Overall Height Including Trim: 57.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0018

Size = 31 1/2-in W x 55-in  
 H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Bedroom 2  
 Configuration: 1 Wide  
 Actual Frame Width: 31 1/2-in  
 Actual Frame Height: 55-in  
 Fits Opening Width: 32 1/4-in  
 Fits Opening Height: 55 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished

**\$665.13**

1

**\$665.13**


Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 3  
Upper Number High: 2  
Lower Number Wide: 3  
Lower Number High: 2  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould  
Actual Sill Exterior Trim: 1/2-in Sill Nose  
Attachment Method Application: Factory Applied  
Exterior Overall Width Including Trim: 33.860000  
Exterior Overall Height Including Trim: 57.360000  
Actual Jamb Extended Wall Depth: 3 11/16-in  
Wall Depth Application: Factory Applied  
Is This A Remake?: No  
Lead Time: 24 Days  
Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0019

Size = 36-in W x 55-in H

**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Bedroom 3  
 Configuration: 1 Wide  
 Actual Frame Width: 36-in  
 Actual Frame Height: 55-in  
 Fits Opening Width: 36 3/4-in  
 Fits Opening Height: 55 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate  
 Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood

---

**\$705.67**

2

---

**\$1,411.34**


Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 3  
 Upper Number High: 2  
 Lower Number Wide: 3  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 38.360000  
 Exterior Overall Height Including Trim: 57.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0020

Size = 27 1/2-in W x 55-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: laundry  
 Configuration: 1 Wide  
 Actual Frame Width: 27 1/2-in  
 Actual Frame Height: 55-in  
 Fits Opening Width: 28 1/4-in  
 Fits Opening Height: 55 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal

\$641.06

1

\$641.06

Unit Type: Complete Unit  
Exterior Material Type: Clad  
Wood Type: Pine  
Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 3  
Upper Number High: 2  
Lower Number Wide: 3  
Lower Number High: 2  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould  
Actual Sill Exterior Trim: 1/2-in Sill Nose  
Attachment Method Application: Factory Applied  
Exterior Overall Width Including Trim: 29.860000  
Exterior Overall Height Including Trim: 57.360000  
Actual Jamb Extended Wall Depth: 3 11/16-in  
Wall Depth Application: Factory Applied  
Is This A Remake?: No  
Lead Time: 24 Days


Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0021

Size = 25-in W x 55-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: laundry area  
 Configuration: 1 Wide  
 Actual Frame Width: 25-in  
 Actual Frame Height: 55-in  
 Fits Opening Width: 25 3/4-in  
 Fits Opening Height: 55 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate

**\$597.68**

3

**\$1,793.04**


Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 2  
 Upper Number High: 2  
 Lower Number Wide: 2  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 27.360000  
 Exterior Overall Height Including Trim: 57.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0022

Size = 26-in W x 62-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products

**\$671.87**

2

**\$1,343.74**

Room Location: back bay  
Configuration: 1 Wide  
Actual Frame Width: 26-in  
Actual Frame Height: 62-in  
Fits Opening Width: 26 3/4-in  
Fits Opening Height: 62 3/4-in  
Operation / Venting: Double Hung  
Venting Height: Equal  
Unit Type: Complete Unit  
Exterior Material Type: Clad  
Wood Type: Pine  
Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 3  
Upper Number High: 2  
Lower Number Wide: 3  
Lower Number High: 2  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould

Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 28.360000  
 Exterior Overall Height Including Trim: 64.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0023

Size = 62-in W x 62-in H


**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Picture  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Room Location: back bay  
 Shape: Rectangle  
 Configuration: 1 Wide  
 Actual Frame Width: 62-in  
 Actual Frame Height: 62-in  
 Fits Opening Width: 62 3/4-in  
 Fits Opening Height: 62 3/4-in  
 Operation / Venting: Fixed Frame  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design

**\$804.20**

1

**\$804.20**


Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Grille Division Type: Typical  
 Number Wide: 4  
 Number High: 4  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 64.360000  
 Exterior Overall Height Including Trim: 64.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0024

Size = 34-in W x 52-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: Bedroom I  
 Configuration: I Wide  
 Actual Frame Width: 34-in  
 Actual Frame Height: 52-in  
 Fits Opening Width: 34 3/4-in  
 Fits Opening Height: 52 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal

\$675.57

1

\$675.57

Unit Type: Complete Unit  
Exterior Material Type: Clad  
Wood Type: Pine  
Actual Base Frame Depth: 5-in  
Actual Base Wall Depth: 3 11/16-in  
Exterior Paint Grade: Standard EnduraClad  
Exterior Color: Putty  
Interior Finish: Unfinished  
Glazing Type: Insulated  
Glass Strength: Annealed  
Insulated Glass Options: Low-E  
Low-E Glass Style: NaturalSun Low-E Insulating Glass  
Gas Filled: Argon  
High Altitude: Non High Altitude  
Glazing Lite Thickness: Standard Per Design  
Sash Lock: Cam-Action Lock  
Hardware Finish: Champagne  
Limited Opening Hardware: No Limited Opening  
Hardware  
Sash Lift: Order Sash Lift  
Sash Lift Shipping Options: Shipped Separate  
Sensor Option: No Integrated Sensor  
Screen Option: Full Screen  
Screen Color: Putty  
Screen Cloth: InView (TM)  
Screen Shipping Option: Shipped Separate  
Grille Type: Removable Grilles  
Actual Grille Bar Profile Width: 3/4-in  
Grille Interior Color: Unfinished Wood  
Grille Exterior Color: Unfinished Wood  
Grille Pattern: Traditional  
Upper Grille Division Type: Typical  
Lower Grille Division Type: Typical  
Upper Number Wide: 3  
Upper Number High: 2  
Lower Number Wide: 3  
Lower Number High: 2  
Attachment Method: EnduraClad (R) Exterior Trim  
Installation Method: Full Frame Replacement  
Head Exterior Trim: Brickmould  
Left Jamb Exterior Trim: Brickmould  
Right Jamb Exterior Trim: Brickmould  
Actual Sill Exterior Trim: 1/2-in Sill Nose  
Attachment Method Application: Factory Applied  
Exterior Overall Width Including Trim: 36.360000  
Exterior Overall Height Including Trim: 54.360000  
Actual Jamb Extended Wall Depth: 3 11/16-in  
Wall Depth Application: Factory Applied  
Is This A Remake?: No  
Lead Time: 24 Days


Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

0025

Size = 25-in W x 47-in H



**Manufacturer:** Pella (R) Lifestyle Series PSE

Package: No Package  
 Division: Millwork  
 Product: Windows  
 Type: Double Hungs  
 Manufacturer: Pella (R) Lifestyle Series PSE  
 Home Comfort Quote Unit Type: Configure Unit  
 Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  
 Energy Star (R) Zone: Northern  
 Hinged Glass Panel Option: Without Hinged Glass Panel  
 Product Family: Full Frame Pella Products  
 Room Location: foyer  
 Configuration: 1 Wide  
 Actual Frame Width: 25-in  
 Actual Frame Height: 47-in  
 Fits Opening Width: 25 3/4-in  
 Fits Opening Height: 47 3/4-in  
 Operation / Venting: Double Hung  
 Venting Height: Equal  
 Unit Type: Complete Unit  
 Exterior Material Type: Clad  
 Wood Type: Pine  
 Actual Base Frame Depth: 5-in  
 Actual Base Wall Depth: 3 11/16-in  
 Exterior Paint Grade: Standard EnduraClad  
 Exterior Color: Putty  
 Interior Finish: Unfinished  
 Glazing Type: Insulated  
 Glass Strength: Annealed  
 Insulated Glass Options: Low-E  
 Low-E Glass Style: NaturalSun Low-E Insulating Glass  
 Gas Filled: Argon  
 High Altitude: Non High Altitude  
 Glazing Lite Thickness: Standard Per Design  
 Sash Lock: Cam-Action Lock  
 Hardware Finish: Champagne  
 Limited Opening Hardware: No Limited Opening Hardware  
 Sash Lift: Order Sash Lift  
 Sash Lift Shipping Options: Shipped Separate

**\$424.90**

1

**\$424.90**

Sensor Option: No Integrated Sensor  
 Screen Option: Full Screen  
 Screen Color: Putty  
 Screen Cloth: InView (TM)  
 Screen Shipping Option: Shipped Separate  
 Grille Type: Removable Grilles  
 Actual Grille Bar Profile Width: 3/4-in  
 Grille Interior Color: Unfinished Wood  
 Grille Exterior Color: Unfinished Wood  
 Grille Pattern: Traditional  
 Upper Grille Division Type: Typical  
 Lower Grille Division Type: Typical  
 Upper Number Wide: 2  
 Upper Number High: 2  
 Lower Number Wide: 2  
 Lower Number High: 2  
 Attachment Method: EnduraClad (R) Exterior Trim  
 Installation Method: Full Frame Replacement  
 Head Exterior Trim: Brickmould  
 Left Jamb Exterior Trim: Brickmould  
 Right Jamb Exterior Trim: Brickmould  
 Actual Sill Exterior Trim: 1/2-in Sill Nose  
 Attachment Method Application: Factory Applied  
 Exterior Overall Width Including Trim: 27.360000  
 Exterior Overall Height Including Trim: 49.360000  
 Actual Jamb Extended Wall Depth: 3 11/16-in  
 Wall Depth Application: Factory Applied  
 Is This A Remake?: No  
 Lead Time: 24 Days  
 Item Number: 887778

\*\*\*This price reflects a 15% Off Promotion on SOS Pella (R) Windows & Patio Doors - 11/07/19 to 12/04/19\*\*\*

This quote is good 11/07/19 to 12/04/19.

**Project Total:** \$31,053.64

**Salesperson:** STEVEN MCGUIRE (S1859SM2)

**Accepted by:** \_\_\_\_\_

Date: 11/14/2019

[Print Detailed Quote](#)

This quote is an estimate only and valid for 30 days on all regularly priced items. For promotional items please refer to the dates listed above. This estimate does not include tax or delivery charges. Estimated arrival will be determined at the time of purchase. All of the above quantities, dimensions, specifications and accessories have been verified and accepted by the customer.

# Proposal



- 23641 John R.
- Hazel Park, Michigan 48030
- Phone: (248) 544-8282
- Fax: (248) 544-8122
- www.hrwindowrepair.com



PROPOSAL SUBMITTED TO <b>WENDY TARGUS</b>	PHONE	DATE <b>03/12/19</b>	
ADDRESS <b>535 ARDEN PARK BLVD.</b>	JOB NAME AND LOCATION		
<b>DETROIT, MI 48202</b>	TOTAL <b>N/A</b>	DEPOSIT	BALANCE

**We Propose** hereby to furnish material and labor—complete in accordance with below specifications, for the sum of \_\_\_\_\_ dollars.  
 \_\_\_\_\_ from receipt of deposit.

Approximate completion time within \_\_\_\_\_ **N/A**

**TERMS: 1/2 of purchase price upon acceptance of proposal and balance due C.O.D. at completion of work.**

All material is guaranteed to be as specified. All work is to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's Compensation insurance.

H & R WINDOW REPAIR COMPANY

Authorized Signature

NOTE: This proposal may be withdrawn by us if not accepted within thirty (30) days.

Thomas Rushton

We hereby submit specifications and estimates, subject to all terms and conditions as follows:

PAGE #1

**REPAIRS AS FOLLOWS:**

**EXISTING WINDOWS**

UPON ONSITE INSPECTION THE EXISTING WINDOW FRAMING IS IN SUCH CONDITION THAT IT WOULD NOT BE FINANCIALLY FEASIBLE TO REPAIR

- LEADED GLASS UNITS MISSING COMPLETELY
- MAIN FRAME DAMAGED TO BEYOND REPAIR

RECOMMEND REPLACING WITH APPROVED WINDOW MANUFACTURER

**SEE EXCLUSION ON BACK**

**Removal and reinstallation of all window treatments are the responsibility of the homeowner.**

Acceptance of Proposal — The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature \_\_\_\_\_

Date of Acceptance \_\_\_\_\_

Signature \_\_\_\_\_

**If you accept our proposal, please sign on bottom and return top copy with deposit. Thank you.**

## Correspondence between applicant and HDC Staff Reporter – 7/1/2021

### HDC Staff Reporter Statement & Questions for Clarification:

- In reviewing the photographs of current existing conditions, it appears that you have removed metal railings from both the front porch/stoop and at the rear second floor roof patio (see photographs below for locations) and that additional work may be happening at the rear of the house beneath the blue tarp. Please know that any of the work mentioned in the previous sentence has not been approved by the HDC and is therefore in violation.



Before removal – date unknown



After removal – June 2021



Before removal – date unknown



After removal – June 2021

- **Please confirm whether or not there is work currently happening beneath the blue tarp.** If there is work currently happening (without HDC approval), would you like to include that work in your current application for review by the Commission? If so, please send me a detailed statement explaining the work was started/completed without HDC approval and what, specifically, it is you would like to propose for review.

**Applicant Response:**

No, there is no work being done under the blue tarp. The storms last week exposed a few minor holes in the brick grout that water was leaking through. The tarp is simply a blockade for the water until our mason can fix the grout.

- **Regarding the removal of the railings without HDC approval:** would you like to include that work in your current application for review by the Commission? If so, please send me a detailed statement explaining why the work was done without HDC approval and what, specifically, it is you would like to have reviewed regarding the railings. Are you proposing to put the removed railings back up, replace them, or not put any railings back up? If you are proposing to replace, please send cut sheets of the specific product you are proposing.

**Applicant Response:**

As far as the railings, both were clearly in horrific condition and rotted to the point of falling. The front railing fell on its own about 3 years ago and the back railing fell about 2 years ago from the flat roof. That being said, we intend to replace both eventually, but no specific plans at this juncture. If the "natural removal" of these needs to be approved by the HDC, then yes, we would like that added to our work for the application. If not, we will gladly submit an application for replacement plans once we have the plans, as we wish to continue to work with the HDC to improve our home while remaining in compliance. .

We do, however have a plan we would like to add for the replacement of the security storm door. The existing door is barely functional, has multiple pieces of metal missing and broken, rusted in places with holes in the metal and the plexiglass is broken and falling. I have included pictures of the existing door and and a manufacturer picture of the door pattern we would like to use. The manufacturer would not provide a computer rendering nor did they offer a similar pattern to the existing door. The replacement door would be the same size, shape and color(black).







535

















February 10, 2019

4:51 PM



Download







Empire





Share



Edit



Lens




















35









**H-6 AVON**